according to UK REACH Regulation

	Sports & Outd	oors			
Revision date: 23.04.2024	Product code:	054	Page 1 of 8		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Sports & Outdoors					
UFI:	2MG2-Q0QW-300S-T796				
1.2. Relevant identified uses of the	ne substance or mixture and uses ad	vised against			
Use of the substance/mixture					
Special detergent for functi	onal sports and leisure clothing made o	of natural and mixed fabrics.			
Uses advised against					
Not known.					
1.3. Details of the supplier of the	safety data sheet				
Company name:	Sodasan GmbH				
Street:	Rudolf-Diesel-Str. 19				
Place:	D-26670 Uplengen				
Telephone:	0495640720	Telefax: 04956407299			
E-mail:	info@sodasan.com				
Contact person:	Frau Grätz	Telephone: 04956407234			
E-mail:	mg@sodasan.com				
Internet:	www.sodasan.de				
Responsible Department:	QS				
1.4. Emergency telephone	Giftinformationszentrum-Nord (L	Iniversitätsmedizin Göttingen): 0551 19240			
number:	(24h)				
Further Information					
Not known.					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

The product does not have to be labeled with regard to the skin-irritating effect and is not to be labeled as caustic with regard to the eyes based on a DetNet report. Other labels according to the CLP regulation are not required.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

scautionaly statement	5
P501	Dispose of contents/container to waste disposal in accordance with local/regional
	regulation.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P102	Keep out of reach of children.

according to UK REACH Regulation

	Sports & Outdoors					
Revision date: 23.04.2024	Product code: 054	Page 2 of 8				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
Special labelling of cert	Special labelling of certain mixtures					
EUH208	Contains Citral, Limonene. May produce an allergic reaction.					
2.3. Other hazards Not known.						

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
85586-07-8	Sodium Lauryl Sulfate	5 - < 10 %			
	287-809-4		01-2119489463-28		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	. 1, Aquatic Chronic 3; H302	H315 H318 H412		
110615-47-9	D-Glucopyranose, Oligomer, C10-16-alkyl Glycoside			5 - < 10 %	
			01-2119489418-23		
	Skin Irrit. 2, Eye Dam. 1; H315 H31	8			
68515-73-1	D-Glucopyranose, Oligomere, Decy	loctylglycoside		5 - < 10 %	
	500-220-1		01-2119488530-36		
	Eye Dam. 1; H318				
	Nat. Perfume oil Verveine / Lime P	< 1 %			
	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2 H319 H317 H304 H411				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

EC No Chemical name		Quantity	
Specific Conc. Limits, M-factors and ATE			
287-809-4 Sodium Lauryl Sulfate		5 - < 10 %	
oral: ATE = 500 mg/kg			
	D-Glucopyranose, Oligomer, C10-16-alkyl Glycoside	5 - < 10 %	
Eye Dam. 1; H3	18: >= 12 - 100		
	Specific Conc. I 287-809-4 oral: ATE = 500	Specific Conc. Limits, M-factors and ATE 287-809-4 Sodium Lauryl Sulfate	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner.

according to UK REACH Regulation

Sports & Outdoors

Revision date: 23.04.2024

Product code: 054

Page 3 of 8

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Not known.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area. Avoid breathing dust/fume/gas/mist/vapours/spray. Safe handling: see section 7 Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13 Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Observe protective measures under sections 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat,

according to UK REACH Regulation

Sports & Outdoors Product code: 054

04.2024

Page 4 of 8

drink, smoke, sniff. Personal protection equipment: see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

No special actions required. Follow normal chemical handling precautions.

Advice on general occupational hygiene

General hygiene measures. Do not eat, drink or smoke in work areas Wash hands after use Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of 15°C - 30°C.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

7.3. Specific end use(s)

Special detergent for functional sports and leisure clothing made of natural and mixed fabrics.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Use protective skin cream before handling the product.

according to UK REACH Regulation

	Spo	rts & Outdoors		
Revision date: 23.04.2024	P	roduct code: 054		Page 5 of 8
Skin protection				
Overall (Natural fibres (e.g.	cotton))			
Respiratory protection				
Respiratory protection neces Use suitable breathing appa		sure limit values.		
Environmental exposure contr	rols			
Do not allow to enter into su	rface water or drains.			
SECTION 9: Physical and cher	nical properties			
9.1. Information on basic physica		<u>s</u>		
Physical state:	flüssig			
Colour: Odour:	weiß citrus frisch			
Odour.				
Elash noint:			Test method	
Flash point: pH-Value (at 20 °C);		6.0 - 6.5	Test method DIN 53213	
pH-Value (at 20 °C):		6,0 - 6,5 1.01 - 1.04 g/cm³	DIN 53213	
•		6,0 - 6,5 1,01 - 1,04 g/cm³	DIN 53213	
pH-Value (at 20 °C): Density (at 20 °C): 9.2. Other information			DIN 53213	
pH-Value (at 20 °C): Density (at 20 °C):			DIN 53213	
pH-Value (at 20 °C): Density (at 20 °C): <u>9.2. Other information</u> Other safety characteristics		1,01 - 1,04 g/cm ³	DIN 53213	
pH-Value (at 20 °C): Density (at 20 °C): <u>9.2. Other information</u> Other safety characteristics Solvent separation test:		1,01 - 1,04 g/cm ³ <3 % (Land transport (ADR/RID))	DIN 53213	
pH-Value (at 20 °C): Density (at 20 °C): <u>9.2. Other information</u> Other safety characteristics Solvent separation test: Flow time:		1,01 - 1,04 g/cm ³ <3 % (Land transport (ADR/RID))	DIN 53213	

10.1. Reactivity

No reactions when handled properly.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No reactions when handled properly.

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

When used and stored as intended, no hazardous decomposition products are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to UK REACH Regulation

Sports & Outdoors Revision date: 23.04.2024 Product code: 054

Page 6 of 8

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
85586-07-8	Sodium Lauryl Sulfate				
0000-07-0	Sodium Lauryi Sullate				

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met. Contains Citral, Limonene. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain any substance that has endocrine properties in humans.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The surfactants contained in this preparation meet the requirements of the biological Degradability as specified in Regulation (EC) No. 648/2004 for detergents.

12.3. Bioaccumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

No relevant data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

according to UK REACH Regulation

Sports & Outdoors

Revision date: 23.04.2024

Product code: 054

Page 7 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled. Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for userNo dangerous good in sense of this tra14.7. Maritime transport in bulk according tonot applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information		

Restrictions on use (REACH, annex XVII):	
Entry 3, Entry 40	
Directive 2004/42/EC on VOC in paints and varnishes:	2 % (21,6 g/l)
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

National regulatory information

according to UK REACH Regulation

Revision date: 23.04.2024

Sports & Outdoors Product code: 054

Page 8 of 8

Water hazard class (D):

2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Aquatic Chronic: Chronic aquatic hazard

Key literature references and sources for data

Regulations: Preparations Directive (1999/45/EG), last amended by Regulation (EG) No. 1907/2006 Substances Directive (67/548/EEC), last amended by Directive 2009/2/EC REACH Regulation (EC) No. 1907/2006, last amended by Regulation (EU) No. 253/2011 CLP regulation 1272/2008 Internet http://www.baua.de http://www.arbeitssicherheit.de http://gestis.itrust.de

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Irrit. 2; H319	Bridging principle "Substantially similar mixtures"
Relevant H and EU	IH statements (number and full text)
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Citral, Limonene. May produce an allergic reaction.
Further Informatio	n
	is based on the present level of our knowledge. It does not, however, give assurance of ies and establishes no contract legal rights. The receiver of our product is singularly responsible

for adhering to existing laws and regulations.

Instruction/training of employees required for handling hazardous substances.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)