according to UK REACH Regulation

Glass & Surface					
Revision date: 31.01.2024	Product code	: 091 Page 1 d			
SECTION 1: Identification of t	he substance/mixture and of the	company/undertaking			
1.1. Product identifier					
Glass & Surface					
1.2. Relevant identified uses of t	he substance or mixture and uses ad	vised against			
Use of the substance/mixture					
For cleaning smooth surfac	ces such as tiles, mirror surfaces and w	<i>v</i> indows.			
Uses advised against					
Not known.					
1.3. Details of the supplier of the	safety data sheet				
Company name:	Sodasan GmbH				
Street:	Rudolf-Diesel-Str. 19				
Place:	D-26670 Uplengen				
Telephone:	0495640720	Telefax: 04956407299			
E-mail:	info@sodasan.com				
Contact person:	Frau Grätz	Telephone: 04956407234			
E-mail:	mg@sodasan.com				
Internet:	www.sodasan.de				
Responsible Department:	QS				
1.4. Emergency telephone	Giftinformationszentrum-Nord (U	Jniversitätsmedizin Göttingen): 0551 19240			
number:	(24h)				

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

2.3. Other hazards

The results of the PBT and vPvB assessment can be found in Section 12.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
64-17-5	ethanol; ethyl alcohol			1 - < 5 %	
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2; H225 H315 H319				
68515-73-1	D-Glucopyranose, Oligomere, Decyloctylglycoside			< 1 %	
	500-220-1		01-2119488530-36		
	Eye Dam. 1; H318				

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

	Glass	&	Surface
--	-------	---	---------

Revision date: 31.01.2024

Product code: 091

Page 2 of 8

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name		
	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6 ethanol; ethyl alcohol		1 - < 5 %	
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Not known.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.

according to UK REACH Regulation

Glass & Surface

Revision date: 31.01.2024

Product code: 091

Page 3 of 8

Avoid breathing dust/fume/gas/mist/vapours/spray. Safe handling: see section 7 Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13 Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Observe protective measures under sections 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat, drink, smoke, sniff. Personal protection equipment: see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

No special actions required. Follow normal chemical handling precautions.

Advice on general occupational hygiene

General hygiene measures. Do not eat, drink or smoke in work areas Wash hands after use Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of 15°C - 30°C.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

7.3. Specific end use(s)

For cleaning smooth surfaces such as tiles, mirror surfaces and windows.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

Glass & Surface

Revision date: 31.01.2024

Product code: 091

Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

Skin protection

Overall (Natural fibres (e.g. cotton))

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values. Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	flüssig farblos, klar		
Odour:	nach Alkohol		
			Test method
Flash point:		62 °C	ASTM D 3828
pH-Value (at 20 °C):		4,0 - 4,5	
Density (at 20 °C):		0,97 - 1,03 g/cm³	DIN 53217
9.2. Other information			
Other safety characteristics			
Solvent separation test:		<3 % (Land transport (ADR/RID))	
Flow time:		11 - 18	
(at 20 °C)			
Further Information			
Further physical-chemical data were not c	letermined.		
SECTION 10: Stability and reactivity			

10.1. Reactivity

No reactions when handled properly.

10.2. Chemical stability

according to UK REACH Regulation

Glass	&	Surface	
01400	~	oundoo	

Revision date: 31.01.2024

Product code: 091

Page 5 of 8

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No reactions when handled properly.

10.4. Conditions to avoid

Keep ignition sources away. Do not smoke.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

When used and stored as intended, no hazardous decomposition products are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name						
	Exposure route Dose Species Source Method							
64-17-5	ethanol; ethyl alcohol							
	oral	LD50 mg/kg	6200	Rat	IUCLID			
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain any substance that has endocrine properties in humans.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Reference to other sections: 2, 3

SECTION 12: Ecological information

according to UK REACH Regulation

Glass & Surface

Revision date: 31.01.2024

Product code: 091

Page 6 of 8

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method	
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h Daphnia magna	IUCLID		

12.2. Persistence and degradability

No relevant data available.

12.3. Bioaccumulative potential

No bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

12.4. Mobility in soil

No relevant data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled. Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601

according to UK REACH Regulation

Revision date: 31.01.2024	Glass & Surface Product code: 091	Page 7 of 8
Limited quantity: Excepted quantity: Transport category:	5 L E1 3	
Hazard No: Tunnel restriction code:	30 D/E	
Inland waterways transport (ADN)		
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name: 14.3. Transport hazard class(es):	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3	
<u>14.4. Packing group:</u> Hazard label:		
Classification code:	F1	
Special Provisions: Limited quantity:	144 601 5 L	
Excepted quantity:	E1	
Marine transport (IMDG)	UN 1170	
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es):	3	
<u>14.4. Packing group:</u> Hazard label:	III 3	
Special Provisions:	144, 223	
Limited quantity: Excepted quantity: EmS:	5 L E1 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 1170 ETHANOL SOLUTION	
14.3. Transport hazard class(es):	3	
<u>14.4. Packing group:</u> Hazard label:	 3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	10 L	
Passenger LQ: Excepted quantity:	Y344 E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	60 L 366	
IATA-max. quantity - Cargo:	220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Revision No: 1,2	GB - en	Print date: 19.06.2024

according to UK REACH Regulation

Glass & Surface		
Revision date: 31.01.2024	Product code: 091	Page 8 of 8
Siehe Abschnitte 6-8		
Achtung: brennbare Flüssigkeit		
14.7. Maritime transport in bulk according t	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixtu	<u>ire</u>
EU regulatory information		
Restrictions on use (REACH, annex XVII)		
Entry 40		
Directive 2004/42/EC on VOC in	2,5 % (24,25 g/l)	
paints and varnishes:		
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
Additional information		
Observe in addition any national regul	ations!	
SECTION 16: Other information		
Abbreviations and acronyms		
Flam. Liq: Flammable liquids		
Skin Irrit: Skin irritation		
Eye Dam: Eye damage		

Eye Irrit: Eye irritation

Key literature references and sources for data

Regulations: Preparations Directive (1999/45/EG), last amended by Regulation (EG) No. 1907/2006 Substances Directive (67/548/EEC), last amended by Directive 2009/2/EC REACH Regulation (EC) No. 1907/2006, last amended by Regulation (EU) No. 253/2011 CLP regulation 1272/2008 Internet http://www.baua.de http://www.arbeitssicherheit.de http://gestis.itrust.de

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Instruction/training of employees required for handling hazardous substances.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)