according to UK REACH Regulation

Revision date: 17.02.2025	Surface Disinfe Product code:		Page 1 of
SECTION 1: Identification of t	he substance/mixture and of the o	company/undertaking	
1.1. Product identifier Surface Disinfectant			
UFI:	2AM2-G0DY-9001-8WAY		
1.2. Relevant identified uses of the	ne substance or mixture and uses ad	vised against	
Use of the substance/mixture Surface disinfection for disi	nfecting all smooth surfaces		
Uses advised against Not known.			
1.3. Details of the supplier of the	<u>safety data sheet</u>		
Company name:	Sodasan GmbH		
Street:	Rudolf-Diesel-Str. 19		
Place:	D-26670 Uplengen		
Telephone:	0495640720	Telefax: 04956407299	
E-mail:	info@sodasan.com		
Contact person:	Frau Grätz	Telephone:04956407234	
E-mail:	mg@sodasan.com		
Internet:	www.sodasan.de		
Responsible Department:	QS		
1.4. Emergency telephone	Giftinformationszentrum-Nord (L	Iniversitätsmedizin Göttingen): 0551 19240	
number:	(24h)		
Further Information Not known.			

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

GR	CI P	Regulation
GD	CLF	Regulation

Signal word:

Pictograms:



## Hazard statements

H225 H319 Highly flammable liquid and vapour. Causes serious eye irritation.

## Precautionary statements

P501	Dispose of contents/container to waste disposal in accordance with local/regional
	regulation.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

## according to UK REACH Regulation

Surface Disinfectant				
Revision date: 17.02.2025	Product code: 024	Page 2 of 8		
P233	Keep container tightly closed.			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.			
P102	Keep out of reach of children.			
2.3 Other hazards				

2.3. Other hazards

Not known.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name		Quantity	
	EC No	Index No REACH No		
	Classification (GB CLP Regulation)			
64-17-5	Ethanol Berkel		70 - < 75 %	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious but breathing normally, place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

## After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

Not known.

# 4.3. Indication of any immediate medical attention and special treatment needed

Not known.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## according to UK REACH Regulation

## **Surface Disinfectant**

Revision date: 17.02.2025

Product code: 024

Page 3 of 8

## Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Not known.

#### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking. Ventilate affected area. Avoid breathing dust/fume/gas/mist/vapours/spray. Safe handling: see section 7 Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Disposal: see section 13 Clean with detergents. Avoid solvent cleaners.

#### 6.4. Reference to other sections

Observe protective measures under sections 7, 8 and 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat, drink, smoke, sniff. Personal protection equipment: see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

### Advice on protection against fire and explosion

No special actions required. Follow normal chemical handling precautions.

#### Advice on general occupational hygiene

General hygiene measures. Do not eat, drink or smoke in work areas Wash hands after use Remove contaminated clothing and protective equipment before entering eating areas.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

#### Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

according to UK REACH Regulation

Revision date: 17.02.2025

Product code: 024

Page 4 of 8

#### Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of 15°C -30°C.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

## 7.3. Specific end use(s)

Surface disinfection for disinfecting all smooth surfaces

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

## 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

#### Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer.

#### Skin protection

Overall (Natural fibres (e.g. cotton))

### **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values. Use suitable breathing apparatus.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless, clear
Odour:	like alcohol

Boiling point or initial boiling point and
boiling range:
Flash point:

21,5 °C DIN 53213

Test method

## according to UK REACH Regulation

Surface Disinfectant				
Revision date: 17.02.2025	Product code: 024	Page 5 of 8		
pH-Value (at 20 °C):	4,5 - 5			
Density (at 20 °C):	0,85 - 0,89 g/cm³	DIN 53217		
9.2. Other information				
Other safety characteristics				
Solvent separation test:	<3 % (Land transport (ADR/RID))			
Flow time:	8 - 12			
(at 20 °C)				
Further Information				
Further physical-chemical data were not determined.				
SECTION 10: Stability and reactivity				

#### 10.1. Reactivity

No reactions when handled properly.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No reactions when handled properly.

#### 10.4. Conditions to avoid

Protect from direct sunlight and heat. Keep ignition sources away. Do not smoke.

#### 10.5. Incompatible materials

Not known.

### 10.6. Hazardous decomposition products

Not known.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## according to UK REACH Regulation

## Revision date: 17.02.2025

Surface Disinfectant Product code: 024

Page 6 of 8

### Endocrine disrupting properties

The product does not contain any substance that has endocrine properties in humans.

## Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Reference to other sections: 2, 3

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Rating easily degradable (literature value)

## 12.3. Bioaccumulative potential

No bioaccumulation potential.

### 12.4. Mobility in soil

No relevant data available.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Further information

There are no data available on the mixture itself. Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Recycle according to official regulations.

#### **Contaminated packaging**

Completely emptied packages can be recycled. Recycle according to official regulations.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	ll
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2

according to UK REACH Regulation

Revision date: 17.02.2025	Surface Disinfectant Product code: 024	Page 7 of 8
Transport category: Hazard No: Tunnel restriction code:	2 33 D/E	
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u>	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
<u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:		
Classification code: Special Provisions: Limited quantity:	3 F1 144 601 1 L	
Excepted quantity: Marine transport (IMDG)	E2	
<u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II	
Hazard label:	3	
Special Provisions: Limited quantity: Excepted quantity: EmS:	144 1 L E2 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL SOLUTION 3 II 3	
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity:	3 A3 A58 A180 1 L Y341 E2	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	353 5 L 364 60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Siehe Abschnitte 6-8 Achtung: brennbare Flüssigkeit		
Revision No: 2.1	GB - en	Print date: 17.02.2025

according to UK REACH Regulation

Revision date: 17.02.2025

Surface Disinfectant Product code: 024

Page 8 of 8

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 Directive 2004/42/EC on VOC in 72.3 % (614.55 g/l) paints and varnishes:

#### National regulatory information

1 - slightly hazardous to water

### Water hazard class (D): Additional information

Observe in addition any national regulations!

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

Flam. Liq: Flammable liquids Eve Irrit: Eve irritation

#### Key literature references and sources for data

Regulations: Preparations Directive (1999/45/EG), last amended by Regulation (EG) No. 1907/2006 Substances Directive (67/548/EEC), last amended by Directive 2009/2/EC REACH Regulation (EC) No. 1907/2006, last amended by Regulation (EU) No. 253/2011 CLP regulation 1272/2008 Internet http://www.baua.de http://www.arbeitssicherheit.de http://gestis.itrust.de

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Instruction/training of employees required for handling hazardous substances.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)