according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

room fragrance Orange

UFI: 2062-10EE-T00C-R00Y

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Room fragrance / air freshener

Uses advised against

Not known

1.3. Details of the supplier of the safety data sheet

Company name: Sodasan GmbH
Street: Rudolf-Diesel-Str. 19
Place: D-26670 Uplengen

Telephone: 0495640720 Telefax: 04956407299

E-mail: info@sodasan.com

Contact person: Frau Grätz Telephone: 04956407234

E-mail: mg@sodasan.com Internet: www.sodasan.de

Responsible Department: QS

1.4. Emergency telephone Giftinformationszentrum-Nord (Universitätsmedizin Göttingen): 0551 19240

number: (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

ECOCERT CITRON MELISSE MOD G 120 19885 UFI:T3K1-G0T2-6002-C89W

Orange oil BIO S0402989

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.

H315+H319 Causes skin irritation and serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 2 of 9

Precautionary statements

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P233 Keep container tightly closed.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container to waste disposal in accordance with local/regional

regulation.

Special labelling of certain mixtures

EUH208 Contains Limonene, Citral, Linalool. May produce an allergic reaction.

2.3. Other hazards

Keine.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regula	ition)	·		
64-17-5	ethanol; ethyl alcohol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Skin Irrit. 2, Eye I				
	ECOCERT CITRON MELISSE	1 - < 5 %			
	Flam. Liq. 2, Skin Irrit. 2, Eye I Chronic 2; H225 H315 H318 H				
	Orange oil BIO S0402989	>1 < 2,5%			
	Flam. Liq. 3, Skin Irrit. 2, Skin 1 H315 H317 H304 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

<u></u>				
CAS No	EC No	Chemical name		
	Specific Conc.	Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol; ethyl alcohol	95 - < 100 %	
	inhalation: LC5	60 = 95.6 mg/l (vapours): oral: LD50 = 6200 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 3 of 9

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner.

After contact with eves

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Not known.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Other information

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Observe protective measures under sections 7, 8 and 13.

SECTION 7: Handling and storage

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 4 of 9

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat, drink, smoke, sniff. Personal protection equipment: see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

No special actions required. Follow normal chemical handling precautions.

Advice on general occupational hygiene

General hygiene measures. Do not eat, drink or smoke in work areas Wash hands after use Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Strong alkali

Further information on storage conditions

Follow the instructions for use on the label.

storage temperature of 15 °C - 30 °C.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

7.3. Specific end use(s)

Room fragrance / air freshener

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the wear time limits as specified by the manufacturer

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 5 of 9

Skin protection

Overall (Natural fibres (e.g. cotton))

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: flüssig
Colour: gelb, klar

Odour: fruchtig nach Orange

Test method

Boiling point or initial boiling point and 85,4 °C

boiling range:

Flash point: 14,5 °C DIN 53213

pH-Value (at 20 °C): 6,5 - 8,0

Density (at 20 °C): 0,79 - 0,83 g/cm³ DIN 53217

9.2. Other information

Other safety characteristics

Solvent separation test: <3 % (Land transport (ADR/RID))
Flow time: 8 - 11

(at 20 °C)

Further Information

Further physical-chemical data were not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactions when handled properly.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No reactions when handled properly.

10.4. Conditions to avoid

Protect from direct sunlight and heat. Keep ignition sources away. Do not smoke.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

When used and stored as intended, no hazardous decomposition products are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 6 of 9

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	oral	LD50 mg/kg	6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (ECOCERT CITRON MELISSE MOD G 120 19885

UFI:T3K1-G0T2-6002-C89W; Orange oil BIO S0402989)

Contains Limonene, Citral, Linalool. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain any substance that has endocrine properties in humans.

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

Due to the summation method, the general consideration limit values ??for the environmental hazards with regard to chronic water pollution class 3 are exceeded. Therefore the mixture is classified as H412 - Aquatic Chronic 3.

CAS No	Chemical name					
	Aquatic toxicity Dose [h] [d] Species Source					Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	

12.2. Persistence and degradability

No relevant data available.

12.3. Bioaccumulative potential

No bioaccumulation potential.

according to UK REACH Regulation

room fragrance Orange Revision date: 16.04.2024 Product code: 004 Page 7 of 9

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

12.4. Mobility in soil

No relevant data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No relevant data available.

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Recycle according to official regulations.

Contaminated packaging

Completely emptied packages can be recycled.

Recycle according to official regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):
14.4. Packing group:

Hazard label:
3

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 8 of 9



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 144
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Siehe Abschnitte 6-8

Achtung: brennbare Flüssigkeit

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

according to UK REACH Regulation

room fragrance Orange

Revision date: 16.04.2024 Product code: 004 Page 9 of 9

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

Additional information

Observe in addition any national regulations!

SECTION 16: Other information

Abbreviations and acronyms

Flam. Liq: Flammable liquids
Asp. Tox: Aspiration hazard
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Key literature references and sources for data

Regulations: Preparations Directive (1999/45/EG), last amended by Regulation (EG) No. 1907/2006 Substances Directive (67/548/EEC), last amended by Directive 2009/2/EC REACH Regulation (EC) No. 1907/2006, last amended by Regulation (EU) No. 253/2011 CLP regulation 1272/2008 Internet http://www.baua.de http://www.arbeitssicherheit.de http://gestis.itrust.de

Classification for mixtures and used evaluation method according to GB CLP Regulation

Highly flammable liquid and vapour.

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H315+H319	Causes skin irritation and serious eye irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

EUH208

H225

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Contains Limonene, Citral, Linalool. May produce an allergic reaction.

Instruction/training of employees required for handling hazardous substances.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)